


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

"rs 232c network"

Google Search

[Web](#) [Images](#) [Groups](#) [Directory](#) [News](#)
Searched the web for "**rs 232c network**". Results 1 - 10 of about 156. Search took 0.17 seconds.

Tip: In most browsers you can just hit the return key instead of clicking on the search button.

**Find Prices on Sharp Serial Cable For Rs-232C Port Of PC**

Sponsored Link

www.pricegrabber.com Comparison Shopping Beyond Compare on **Rs 232C**✓ **[PDF] SAPS Specification Sheet**

File Format: PDF/Adobe Acrobat

... Network control—SAPS allows you to manage projectors individually, globally, or in groups—and controls up to 99 projectors on an Ethernet or **RS-232C network** ...

www.sharp-usa.com/files/pro\_dow\_SAPSPROss.pdf - [Similar pages](#)

multimedia projector system solution | AN-LS1 network converter

... Sharp, the industry leader in audiovisual innovations, introduces the AN-LS1 Ethernet to **RS-232C Network Converter**, a revolutionary device that gives you ...

www.sharp-usa.com/products/ModelLanding/ 0,1058,1230,00.html - 53k - [Cached](#) - [Similar pages](#)

[ [More results from www.sharp-usa.com](#) ]

Sponsored Links

**Rs 232c**

Find the best deal! Compare prices, Reviews and More - CNET Shopper.com  
shopper.cnet.com  
Interest: [Interest](#)

**Rs 232c at ZDNet**

Compare up-to-the-minute prices from hundreds of trusted stores.  
shopper.zdnet.com  
Interest: [Interest](#)

**We Have All Rs 232c**

Find prices, tax, shipping, store ratings & reviews for Rs 232c.  
www.nextag.com  
Interest: [Interest](#)

**ProjectorsProjectors.com News : Sharp's Network Converter Offers ...**

... ORLANDO, FL, June 3, 2003 - Sharp Electronics Corporation today introduced the AN-LS1

Ethernet to **RS-232C Network Converter**, an RS-232/LAN device that gives ...

www.projectorsprojectors.com/RS-232C.html - 15k - [Cached](#) - [Similar pages](#)

**[PDF] Total of 32 thermostats on one (1) XCI Serial-Stat Adapter**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... cable, plenum rated Same as XC-Bus (RS-485) cable Typical Connection for Serial-Stat

Bus Typical Connection for XC-Bus (RS-485) See **RS-232C Network Diagram A** ...

www.xcicorp.com/pdf/200005a-rs\_232-%20rs\_485.pdf - [Similar pages](#)

**Rs 232c**

Pricetool: Compare prices on Rs 232c  
www.pricetool.com  
Interest: [Interest](#)

**Find Panasonic Parts**

We Have Part Rs-232c  
Browse or Call 877-62 PARTS  
www.partsolver.com  
Interest: [Interest](#)

[See your message here...](#)**WinCon-8000 Embedded Controller**

... EAS018, Q. How to calculate the checksum ? EAS019, Q. What's the syntax of the command string ? EAS020, Q. Can I use the 7000 module in the **RS-232C network** ? ...

www.icpdas.com/faq/ - 36k - [Cached](#) - [Similar pages](#)


**WinCon-8000 Embedded Controller**

EAS020. back. Q. Can I use the 7000 module in the **RS-232C network** ? A. No, the 7000 use RS-485 network. So the user need a 7520, RS ...

www.icpdas.com/faq/7000/eas020.htm - 15k - [Cached](#) - [Similar pages](#)

# SHARP

SYSTEM SOLUTIONS




## SHARP ADVANCED PRESENTATION SOFTWARE PROFESSIONAL EDITION

TAKE CONTROL OF ALL YOUR SHARP MULTIMEDIA PROJECTORS  
FOR EFFORTLESS, UNFORGETTABLE PRESENTATIONS.

Multiple projectors can result in multiple problems. You need to send technicians from room to room for routine maintenance. User problems have to be addressed on an individual basis. And ensuring that every projector has been powered down can take hours. But now there's a Sharp solution that gives you unparalleled control of almost any Sharp projector so your presentations will always be unforgettable: Sharp Advanced Presentation Software (S.A.P.S.). By using this simple, yet sophisticated software package and a standard Windows® computer, you can centralize command of your projector network to maximize productivity. It will work with older as well as current models—any Sharp projector with either an RS-232C or Ethernet input.

- **Network control**—S.A.P.S. allows you to manage projectors individually, globally, or in groups—and controls up to 99 projectors on an Ethernet or RS-232C network. If the network is made up exclusively of addressable projectors (XG-V10WU, or XG-P25X) you can control up to 250 projectors. Each projector can also be given a unique 8-character name (such as the room number where it is installed) to make identification easy. Network your projectors using daisy-chained serial cables or tie them into your organization's LAN using Sharp's AN-LS1, an affordable Ethernet to RS-232C Network Converter.



- **Adjustment and functional controls**—S.A.P.S. offers extremely versatile control of all major functions and adjustments, normally accessible from the projector's remote. Via your projector network you can direct input selection, picture and color adjustments, black screen, auto sync and fine sync, keylock level, and projector audio settings (functions will vary with the projector model). The timer control powers down networked projectors at a preset time while the Gamma correction function allows precise control over brightness and color levels of projectors that are used together. (This function can only be performed by a PC connected directly to an individual projector.)

- **Video wall function**—S.A.P.S. may be used as a basic, low-cost video wall processor, combining the output from multiple XG-V10 Series or XG-P25X projectors so that they project a single image. You can specify any configuration, from 2 projectors x 2 on up to 8 x 8, at input resolutions up to SXGA.

- **E-mail notification**—S.A.P.S. can send e-mail to up to 64 preset addresses as status reports or error messages. Error messages can include high internal temperature, irregularity with a lamp or cooling fan, an improperly mounted filter cover, or communication errors with individual projectors. Status emails can include each projector's current settings, accumulated lamp usage, and average internal temperature.

- **Image transfer**—S.A.P.S. can transfer any BMP-format image (i.e. a logo or organization name and phone number) to a projector to appear onscreen at startup or whenever there is no input signal.

- **Projector backup**—In critical situations where projector downtime is unacceptable, S.A.P.S. may be used to set up a backup projector that turns on automatically should the primary projector malfunction. Projector backup can only be used when S.A.P.S. is running on a local (not networked) PC, and only with the XG-V10 Series or the XG-P25X.

**S.A.P.S. - Sharp Advanced Presentation Software**  
PROFESSIONAL EDITION


# S.A.P.S. - Sharp Advanced Presentation Software

## PROFESSIONAL EDITION

### NETWORK YOUR PROJECTORS AND CENTRALIZE YOUR PRODUCTIVITY WITH SHARP ADVANCED PRESENTATION SOFTWARE.

Total control of all your installed projectors means a higher level of productivity. With Sharp Advanced Presentation Software (S.A.P.S.), you will be able to direct the diagnostics and management of your projectors from a central PC. Access every projector without running from room to room. Keep them connected globally or in groups. No matter what your setup, S.A.P.S. empowers you with an advanced productivity tool for all of your Sharp multimedia projectors.

S.A.P.S. PUTS EFFICIENT PROJECTOR MANAGEMENT AT YOUR FINGERTIPS.



• **Required Hardware and Software**—S.A.P.S. requires a PC running under Microsoft Windows® 95, 98, ME, 2000 Professional or XP Home or Professional Edition, plus 233 MHz Pentium processor (or later), at least 64MB memory (128MB Windows XP), 50MB free hard disk space, a CD-ROM drive, and either an RS-232C serial port or Ethernet port (depending on connection to projectors). S.A.P.S. will control any Sharp projector, provided it has an RS-232C communications port or AN-LS1 Ethernet converter.

• **Downloading S.A.P.S. is free**—The latest version of Sharp Advanced Presentation Software is available for download at no charge. You may also download S.A.P.S. Manual for more detailed information on any of its functions. Simply log on to [www.SharpLCD.com](http://www.SharpLCD.com) and then type "SAPS" in the SEARCH screen to go to the "downloads" page.

Design and specifications subject to change without notice.  
SHARP is a registered trademark of SHARP Corporation.  
All other trademarks are property of their respective owners.

Our thanks to Lansing Community College in Lansing, Michigan,  
whose classrooms are shown above.

**SHARP**  
be sharp™

SHARP ELECTRONICS CORPORATION  
LCD Products Group, Sharp Plaza  
Mahwah, NJ 07430-2135  
E-mail: [ProLCD@SharpSEC.com](mailto:ProLCD@SharpSEC.com)  
1-866-4-VISUAL  
[www.SharpLCD.com](http://www.SharpLCD.com)

Printed in USA 06/03 Rev 1.0


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

"rs 232c daisy chain"

Google Search

[Web](#) | [Images](#) | [Groups](#) | [Directory](#) | [News](#) |
Searched the web for "**rs 232c daisy chain**".

Results 1 - 10 of about 102. Search took 0.17 seconds.

Tip: In most browsers you can just hit the return key instead of clicking on the search button.

### Find Prices on Sharp Serial Cable For **Rs-232C** Port Of PC

Sponsored Link

[www.pricegrabber.com](http://www.pricegrabber.com) Comparison Shopping Beyond Compare on **Rs 232C**

### [PDF]LT100 LZ60-P Digital Gauge LZ60-B/C

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... C Comparator reference point selection input Mode selection input Other I/O BCD output

Gauae selection Data request input **RS-232C Daisy-Chain** function External ...
[www.sonypt.co.jp/en/products/pdf/LT100E-low.pdf](http://www.sonypt.co.jp/en/products/pdf/LT100E-low.pdf) - [Similar pages](#)

### [PDF]PTC-100S

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... in Performance I / R remote control from front and rear Up to six cameras can be

controlled by a single IR remote controller **RS-232C daisy chain** connection for ...
[www.m-media.com/products/visualizers/PanTiltZoom/ptc100s.pdf](http://www.m-media.com/products/visualizers/PanTiltZoom/ptc100s.pdf) - [Similar pages](#)

### Accessories

... If you require spares, the following are available: **RS-232C Daisy-chain** Cable forMedia Commander (8-pin mini-DIN)...\$35.00 **RS-232C** Serial Interface Cable for ...
[www.futurevideo.com/prod05.htm](http://www.futurevideo.com/prod05.htm) - 9k - [Cached](#) - [Similar pages](#)

### ELMO Canada- Presentation Projectors Video Data Presenters

...

... **RS-232C daisy chain** connection for up to 7 cameras; ABS housing with 2-tone brushed

aluminum coating. Print RS-232C Command Controls Download Sample Software, ...

[www.elmocanada.com/presentation/ptc.htm](http://www.elmocanada.com/presentation/ptc.htm) - 8k - [Cached](#) - [Similar pages](#)

### PTC-100S

... Power save mode, Provided. OSD menu, Provided (Camera / preset selection).

**RS-232C daisy chain** connection, Max 7 (PTC-100S) cameras. Receivable ...
[www.elmocanada.com/presentation/webspecs/PTC-100S.htm](http://www.elmocanada.com/presentation/webspecs/PTC-100S.htm) - 25k - [Cached](#) - [Similar pages](#)
[ [More results from www.elmocanada.com](#) ]

### Dealer Price List

... lines resolution • video / s-video / **RS-232C** outputs • I/R remote control from front and back • on screen display • **RS-232C daisy chain** connection for ...
[www.crispvtc.com/price\\_Accessories.htm](http://www.crispvtc.com/price_Accessories.htm) - 61k - [Cached](#) - [Similar pages](#)

### Electronic Imaging - Visual Presenters

#### Sponsored Links

##### Rs 232c

Find the best deal! Compare prices, Reviews and More - CNET Shopper.com  
[shopper.cnet.com](http://shopper.cnet.com)  
 Interest: \_\_\_\_\_

##### Rs 232c at ZDNet

Compare up-to-the-minute prices from hundreds of trusted stores.  
[shopper.zdnet.com](http://shopper.zdnet.com)  
 Interest: \_\_\_\_\_

##### Rs 232c - Cheaper Price

Find prices, tax, shipping, store ratings & reviews for Rs 232c.  
[www.nextag.com](http://www.nextag.com)  
 Interest: \_\_\_\_\_

##### Rs 232c

Pricetool: Compare prices on: Rs 232c  
[www.pricetool.com](http://www.pricetool.com)  
 Interest: \_\_\_\_\_

##### Find Panasonic Parts

We Have Part Rs-232c  
Browse or Call 877-62 PARTS  
[www.partsolver.com](http://www.partsolver.com)  
 Interest: \_\_\_\_\_
[See your message here...](#)


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

sharp advanced presentation software

Google Search

[Web](#) [Images](#) [Groups](#) [Directory](#) [News](#)
Searched the web for **sharp advanced presentation software**. Results 1 - 10 of about 85,200. Search took 0.25**Presentation Software**Sponsored  
Linkwww.PitchEngine.com Web-based corporate **software** for building & managing presentations**Software Demos in minutes**

Sponsored Link

www.turbodemo.com TurboDemo is the right solution for e-Learning, Marketing, Support!

**conference - classroom series multimedia projectors | software**

... to download the full version. DOWNLOAD (800K), download. SAPS v1.57 - (Sharp Advanced Presentation Software). SAPS allows a user to ...  
 www.sharp-usa.com/products/TypeSoftware/ 0,1086,29,00.html - 48k - Oct 2, 2003 - [Cached](#) - [Similar pages](#)

**[PDF]SAPS Specification Sheet**

File Format: PDF/Adobe Acrobat

Page 1. SYSTEM SOLUTIONS PROFESSIONAL EDITION **SHARP ADVANCED PRESENTATION**

**SOFTWARE** Multiple projectors can result in multiple problems. ...  
 www.sharp-usa.com/files/pro\_dow\_SAPSPROss.pdf - [Similar pages](#)

[ [More results from www.sharp-usa.com](#) ]

## Sponsored Links

**Presentation Software**

Easily Build Full Featured  
 Multimedia Projects  
<http://www.presentware.com>  
 Interest: \_\_\_\_\_

**Do a Great Presentation**

"Winner: Best Presentation Software  
 of the Year!" Visual Communicator  
[www.seriousmagic.com](http://www.seriousmagic.com)  
 Interest: \_\_\_\_\_

**Presentation Software**

Create multimedia presentations  
 while you present with PowerPoint!  
[www.AgilityPresenter.com](http://www.AgilityPresenter.com)  
 Interest: \_\_\_\_\_

**Presentation software**

Easily create dazzling Flash-based  
 product demos and tours in minutes.  
[www.robodemo.com](http://www.robodemo.com)  
 Interest: \_\_\_\_\_

**Capture Your Lectures**

Works inside PowerPoint  
 Free trial software! Download Here.  
[www.softV.net](http://www.softV.net)  
 Interest: \_\_\_\_\_

**Presentation Software**

Quickly Create & Download  
 Quality Presentations-Free Trial  
[www.impactengine.com](http://www.impactengine.com)  
 Interest: \_\_\_\_\_

**AV Presenter**

Creates powerful interactive  
 multi-media business presentations.  
[www.avpresenter.co.uk](http://www.avpresenter.co.uk)  
 Interest: \_\_\_\_\_

**Visionary**

Visionary is a Free, feature rich

**[PDF]Great Large Venue Presentations from Sharp's High Grade ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Floor Building A RS-232C RS-422 2nd Floor 1st Floor To Building B 2 RS-422 2 RS-422

Control PC with **Sharp Advanced Presentation Software** Professional Edition ...sharp-world.com/products/pdf/brochure/xg-v10w\_1.pdf - [Similar pages](#)**DOWNLOAD SITE Version1.3**

... 1. Before installing the updated version of the **Sharp Advanced Presentation Software**,

the existing version on your computer must first be uninstalled. ...

sharp-world.com/products/text/dl\_1\_3.html - 9k - [Cached](#) - [Similar pages](#)[ [More results from sharp-world.com](#) ]**FILEXT.NET - GM0 - SAPS - Sharp Advanced Presentation Software ...**

... Extension: Description: GM0, SAPS - **Sharp Advanced Presentation Software** Professional.

NOTE: Click on the Extension or Description link for more information! ...

www.filext.net/GM0\_.html - 6k - [Cached](#) - [Similar pages](#)**PRIMEDIA Business Magazines & Media Inc.**

... The P20 also works with **Sharp's Advanced Presentation Software** (professional

edition). This fully-featured package lets users control ...

sharpplcdtechnology.videosystems.com/sharp\_projectors/ - 24k - [Cached](#) - [Similar pages](#)

US-PAT-NO: 5341375

DOCUMENT-IDENTIFIER: US 5341375 A

TITLE: Transmission of broadcast packets in  
an RF system

----- KWIC -----

Detailed Description Text - DETX (5):

FIG. 1 illustrates an RF LAN system in accordance with the present invention. A plurality of user modules (UM) 20 are capable of RF communications with control module (CM) 22. Each user module is connected to one or more user devices such as a personal computer (PC) 24 by connection 26. The CM is connected to a packet data network 28 by channel 30. The packet data network may comprise an Ethernet network, or any of the other well known data networks, such as a Token Ring network, or an RS232 network.

---

US-PAT-NO: 5598407


DOCUMENT-IDENTIFIER: US 5598407 A

TITLE: Cordless local area network having a  
fixed central control device

----- KWIC -----

Brief Summary Text - BSTX (19):

Conveniently, but not necessarily, the fixed central control device may be arranged for connection to a fixed network, for example, an Ethernet network or a Token Ring or RS232 network.



US-PAT-NO: 5979703

DOCUMENT-IDENTIFIER: US 5979703 A

TITLE: Machine and method for monitoring  
product application

----- KWIC -----

Detailed Description Text - DETX (6):

With reference now to FIG. 3, a simplified block diagram illustrates a product applicator control system 300 known as FALCON.RTM. available from Ag-Chem Equipment Co., Inc. of Minnetonka, Minn., that has a cab mounted host computer system 110, and that can be reconfigured and adapted with the appropriate algorithmic software 200, load cells 130 and speed sensors 120 to measure and report waste product application rates on-the-go in near real-time in accordance with one embodiment of the present invention.

Using this on-the-go application data, the machine operator can then instruct the host computer system 110 to prompt individual control modules 304 to interrogate metering devices 306 such as waste product storage bin pumps, dispensers and/or discharge mechanisms associated with that particular control module 304 via a feedback network 308. The host computer system 110 can then interface with appropriate control modules 304 via an RS232 network or the like to individually vary the desired waste product dispensing rate for each waste product stored on the machine.